

# EFX<sup>®</sup> 883

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX 883 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp technology and fixed handlebars deliver a comfortable lower body workout for your exercisers.

## Product Features

### 1. Handlebars

Fixed handlebars allow exercisers to focus on lower body workouts at higher resistance levels or challenge muscle stabilizers during hands-free training.

### 2. P84 Touchscreen Console

The P84 console offers a brilliant 16-inch touchscreen that provides the best blend of performance, fitness, and entertainment that your exercisers expect. It's designed to deliver a best-in-class content suite with engaging workouts, wireless casting with access to thousands of third-party workout and media apps, and integrated Pluto TV, so exercisers always have the content they want, right at their fingertips.

### 3. Converging CrossRamp

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Easy to maintain with a covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 71 in / 203 x 71 x 180 cm

**Equipment Weight:** 340 lb / 154 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** 120 volt, 15 amp circuit

**Total Workouts:** 22

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

**Language:** English, Arabic, Danish, Dutch, French, Finnish, German, Hebrew, Hindi, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish

**Console Features:** 16 in / 40.6 cm LCD Capacitive Touchscreen with wireless charging, audio jack, and Bluetooth<sup>®</sup> headphones

**Network Capabilities:** Preva<sup>®</sup> network capable

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

# EFX<sup>®</sup> 883

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX<sup>®</sup> 883 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp<sup>®</sup> technology and fixed handlebars deliver a comfortable lower body workout for your exercisers.

## Product Features

### 1. Handlebars

Fixed handlebars allow exercisers to focus on lower body workouts at higher resistance levels or challenge muscle stabilizers during hands-free training.

### 2. P82 Touchscreen Console Connects to Apple Watch<sup>®</sup>

The P82 console offers a brilliant 15 inch screen that's ergonomically positioned to deliver crystal clear entertainment viewing for exercisers in motion. When networked, it is also a direct-to-exerciser communication portal allowing you an opportunity to build your brand, share information about activities and services, and strengthen the sense of community within your facility. Available with the optional Precor Smart Watch Connector for Apple Watch<sup>®</sup>.

### 3. Converging CrossRamp<sup>®</sup>

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Easy to maintain with a covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 72 in / 203 x 71 x 183 cm

**Equipment Weight:** 340 lb / 154 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** 120 volt, 15 amp circuit

**Total Workouts:** 22

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees

**Language:** English, Danish, Dutch, French, Finnish, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl



Apple Watch is a trademark of Apple Inc., registered in the U.S. and other countries and regions.

**Console Features:** 15 in / 38.1 cm LCD Capacitive Touch Screen with mobile device charger, audio jack and optional Smart Watch Connector for Apple Watch<sup>®</sup>

**Network Capabilities:** Preva<sup>®</sup> network capable

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

[GO.PRECOR.COM/EFX883](http://GO.PRECOR.COM/EFX883)

© 2021 Precor Incorporated.

**PRECOR**<sup>®</sup>

# EFX<sup>®</sup> 833

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX<sup>®</sup> 833 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp<sup>®</sup> technology and fixed handlebars deliver a comfortable lower body workout for your exercisers.

## Product Features

### 1. Handlebars

Fixed handlebars allow exercisers to focus on lower body workouts at higher resistance levels or challenge muscle stabilizers during hands-free training.

### 2. P31 Console

Finally, an LED console that works harder for you, your servicers, and your exercisers. Get integrated asset management to supercharge your service techs with extra information, right at their fingertips. Exercisers will enjoy the well-placed channel or volume change controls. The black color on the P31 looks great across the full range of Precor cardio equipment.

### 3. Converging CrossRamp<sup>®</sup>


Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Experience easy maintenance with the covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 67 in / 203 x 71 x 170 cm

**Equipment Weight:** 330 lb / 150 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** Self-Powered

**Total Workouts:** 15

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees

**Language:** English, Dutch, German, Italian, Japanese, French, Polish, Portuguese, Russian, Spanish

**Network Capabilities:** C-SAFE enabled  
Mobile Device Charger - Standard

**Entertainment:** Optional - 15 in / 38.1 cm Personal Viewing System (PVS)  
Optional - TV Audio Receiver

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

PRECOR.COM

© 2024 Precor Incorporated.

**PRECOR**<sup>®</sup>

# EFX<sup>®</sup> 885

## Experience™ Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX 885 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp technology and upper body moving handlebars deliver a total body workout for your exercisers.

## Product Features

### 1. Handlebars

With moving handlebars, exercisers can push and pull with their upper body to achieve a total body workout.

### 2. P84 Touchscreen Console

The P84 console offers a brilliant 16-inch touchscreen that provides the best blend of performance, fitness, and entertainment that your exercisers expect. It's designed to deliver a best-in-class content suite with engaging workouts, wireless casting with access to thousands of third-party workout and media apps, and integrated Pluto TV, so exercisers always have the content they want, right at their fingertips.

### 3. Converging CrossRamp

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Maintenance is easy with a covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 71 in / 203 x 71 x 180 cm

**Equipment Weight:** 340 lb / 154 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** 120 volt, 15 amp circuit

**Total Workouts:** 22

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

**Language:** English, Arabic, Danish, Dutch, French, Finnish, German, Hebrew, Hindi, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish

**Console Features:** 16 in / 40.6 cm LCD Capacitive Touchscreen with wireless charging, audio jack, and Bluetooth<sup>®</sup> headphones

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

# EFX<sup>®</sup> 885

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX<sup>®</sup> 885 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp<sup>®</sup> technology and upper body moving handlebars deliver a total body workout for your exercisers.

## Product Features

### 1. Handlebars

With moving handlebars, exercisers can push and pull with their upper body to achieve a total body workout.

### 2. P82 Touchscreen Console Connects to Apple Watch<sup>®</sup>

The P82 console offers a brilliant 15 inch screen that's ergonomically positioned to deliver crystal clear entertainment viewing for exercisers in motion. When networked, it is also a direct-to-exerciser communication portal allowing you an opportunity to build your brand, share information about activities and services, and strengthen the sense of community within your facility. Available with the optional Precor Smart Watch Connector for Apple Watch<sup>®</sup>.

### 3. Converging CrossRamp<sup>®</sup>

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Maintenance is easy with a covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 72 in / 203 x 71 x 183 cm

**Equipment Weight:** 340 lb / 154 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** 120 volt, 15 amp circuit

**Total Workouts:** 22

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees

**Language:** English, Danish, Dutch, French, Finnish, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl



Apple Watch is a trademark of Apple Inc., registered in the U.S. and other countries and regions.

**Console Features:** 15 in / 38.1 cm LCD Capacitive Touch Screen with mobile device charger, audio jack and optional Smart Watch Connector for Apple Watch<sup>®</sup>

**Network Capabilities:** Preva<sup>®</sup> network capable

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

[GO.PRECOR.COM/EFX885](http://GO.PRECOR.COM/EFX885)

© 2021 Precor Incorporated.

**PRECOR**<sup>®</sup>

# EFX<sup>®</sup> 865

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX<sup>®</sup> 865 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp<sup>®</sup> technology and upper body moving handlebars deliver a total body workout for your exercisers.

## Product Features

### 1. Handlebars

With moving handlebars, exercisers can push and pull with their upper body to achieve a total body workout.

### 2. P62 Console

The P62 console features personalized viewing and the remarkable clarity of TV and internet options that exercisers crave, all in a 10 in / 25.4 cm screen. With the ability to “favorite” selections for the future, exercisers can customize their workout experience based on what’s important to them.

### 3. Converging CrossRamp<sup>®</sup>

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Experience easy maintenance with the covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 72 in / 203 x 71 x 183 cm

**Equipment Weight:** 340 lb / 154 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)

**Power:** 120 volt, 15 amp circuit

**Total Workouts:** 22

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees

**Language:** English, Danish, Dutch, French, Finnish, German, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish

**Network Capabilities:** Preva<sup>®</sup> network capable

**Entertainment:** 10 in / 25.4 cm LCD Capacitive Touch Screen  
Mobile Device Charger and Audio Jack

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

[GO.PRECOR.COM/EFX865](http://GO.PRECOR.COM/EFX865)

© 2021 Precor Incorporated.

**PRECOR<sup>®</sup>**

# EFX<sup>®</sup> 835

## Experience<sup>™</sup> Series

# ELLIPTICAL

**FS**  
**Fitness Solutions**

## Product Highlights

The EFX<sup>®</sup> 835 with Converging CrossRamp<sup>®</sup> combines essential reliability and ease-of-use with a natural, low-impact stride to add value to your facility. Design enhancements ensure easy cleaning and maintenance for you, while the unique adjustable Converging CrossRamp<sup>®</sup> technology and upper body moving handlebars deliver a total body workout for your exercisers.

## Product Features

### 1. Handlebars

With moving handlebars, exercisers can push and pull with their upper body to achieve a total body workout.

### 2. P31 Console

Finally, an LED console that works harder for you, your servicers, and your exercisers. Get integrated asset management to supercharge your service techs with extra information, right at their fingertips. Exercisers will enjoy the well-placed channel or volume change controls. The black color on the P31 looks great across the full range of Precor cardio equipment.

### 3. Converging CrossRamp<sup>®</sup>

Patented converging footpath design and incline adjustments between 10 - 35 degrees, along with 20 levels of resistance, give exercisers a challenging workout with a more natural feeling stride.

### 4. Covered Rear Drive Housing

Experience easy maintenance with the covered ramp and rear drive housing that enable quick access for cleaning.

### 5. Active Status Light

Alerts staff at a glance when the EFX needs maintenance or service.

## Specifications

**Dimensions (L x W x H):** 80 x 28 x 67 in / 203 x 71 x 170 cm

**Equipment Weight:** 330 lb / 150 kg

**Step-up Height:** 8 in / 20 cm (pedal at lowest point)


**Power:** Self-Powered

**Total Workouts:** 15

**Resistance Levels:** 20

**Ramp Angle:** 10-35 degrees

**Language:** English, Dutch, German, Italian, Japanese, French, Polish, Portuguese, Russian, Spanish



Storm Grey

Refined colorways with dark Tungsten covers and two frame color options, Storm Grey and Black Pearl.



Black Pearl

**Network Capabilities:** C-SAFE enabled  
Mobile Device Charger - Standard

**Entertainment:** Optional - 15 in / 38.1 cm Personal Viewing System (PVS)  
Optional - TV Audio Receiver

**Accessories:** Integrated Reading Rack  
Optional - Cable Management

**Warranty:** Visit [www.precor.com](http://www.precor.com) for warranty terms.

PRECOR.COM

© 2024 Precor Incorporated.

**PRECOR**<sup>®</sup>